


Securefašt

Safety & Security Products



A Collection of Securefašt's Best Selling Products

Standalone Proximity Readers



Code	Description
APX18	Standalone 125kHz Proximity Reader
APX19	Standalone Mifare Proximity Reader

- Compact & Waterproof IP66
- Programmed by the use of cards or a remote control (supplied)
- APX18 - 2000 Users / APX19 - 1000 Users
- Black ABS shell
- Highly reliable design
- Works with most Securefast locks

Manual Call Point with Status Display & Cover



Code	Description
ACP320/G	Green Call Point with Status Display (Resettable)

- Double Pole
- Visible Activation Indication
- Resettable
- Locked/Unlocked Status Display
- Hinged front cover to stop false activation
- Surface mounted

Triple Pole Emergency Call Point with Dual Light and Buzzer



Code	Description
ACP350	Triple Pole Emergency Call Point with Dual Light and Buzzer

- Triple pole contact
- Resettable via supplied key
- Dual light activation confirmation
- Alarm sounder included
- Clear hinged cover included
- Easy to assemble and install

Pulsar Audio Door Entry Systems



Code	Description
F65021N	1 Way Pulsar Door Entry Kit with Handset
F65022N	2 Way Pulsar Door Entry kit with Handset

- Aluminium fascia design prevents water ingress into the speaker
- High visibility large blue backlit call button
- Slimline surface mount
- Attractive stylish Ellisse handset provides a modern look
- Address window
- 5 wire connection

Smartlock InDoor Access Control Lockset Range



Code	Description
ASL951B1-L	Wireless Lock with Key Override (Left Hand)
ASL951B1-R	Wireless Lock with Key Override (Right Hand)
SH-0203	Safety Lever Handles (Stainless Steel)
SDP-C-02	Euro profile Escutcheons (Pair)
SIN-ASL951B1	Intumescent for FD60 Fire Doors

- Fire Rated for 30 & 60 minute timber doors
- Inside lever always free to escape
- Small discreet light tube reader fitted in the door
- Euro profile lock case with 65mm backset and 72mm centres
- Anti-thrust latch to prevent a forced entry
- You can choose your own door furniture

OnDoor Be-Tech Mifare™ Virtual Network System



Code	Description
ASL951B-L	Lock with Key Override (Left Hand)
ASL951B-R	Lock with Key Override (Right Hand)
SIN-ASL900-1mm	Intumescent for FD30 Fire Doors
SIN-ASL900-2mm	Intumescent for FD60 Fire Doors

- Powered by 4 x AA batteries
- Fire Rated for 30 & 60 minute timber doors
- Certified to EN14846:2008 for electro-mechanically operated locks
- Inside lever always free to escape
- Outside lever always free to turn when locked to prevent damage to the lock unit
- 65mm backset case with a key override cylinder

Deedlock Single Door Access Control Kits



Code	Description
AKT4223	Proximity Kit with Electric Release
AKT4224	Proximity Kit with Mini Electro-Magnetic Lock
AKT4225	Internal Keypad Kit with Electric Release
AKT4226	Internal Keypad Kit with Mini Electro-Magnetic Lock
AKT4227	External Keypad Kit with Mini Electro-Magnetic Lock
AKT4228	External Keypad Kit with Electric Release
AKT4229	External Keypad with Prox Kit with Mini Electro-Magnetic Lock
AKT4230	External Keypad with Prox Kit with Electric Release
AKT4235	SCLAK Kit with Electric Release

- Designed for easy installation, even with minimal electrical installation experience
- Kit options are available with an electric release or a mini electro-magnetic lock
- Prox kits offer 999 users and include 10 tags (additional tags can be ordered)
- Electric release supplied with a rim and mortice plate
- Choice of either APX-15 (Internal Keypad) or the APX-16 (Internal/External Keypad)
- Additional magnet brackets and fittings are available

Deadlock Electric Releases



Code	Description
AL900	ANSI Mortice Electric Release
AL900M	ANSI Mortice Electric Release - Monitored
AL900DM	ANSI Mortice Electric Release - Dual Monitored
AL900-EL10	10mm Extension Lip
AL900-EL25	25mm Extension Lip
AL900-EL50	50mm Extension Lip
SINAL900-1MM	Intumescent for FD60 Timber Fire Doors

- Fail locked and fail unlocked versions available
- Long and short faceplate supplied
- 12/24V AC/DC
- 1000 lbs holding force
- Easy replacement for Adams Rite, Trimec & Alpro Strikes
- Fire rated for use on 60min timber doors

Deadlock Mortice Electro-Magnetic Locks



Code	Description
AEM10000	Mortice Magnet - Grade 2 (Unmonitored)
AEM10000R	Mortice Magnet - Grade 2 (Monitored)
AEM12000	Mortice Magnet - Grade 3 (Unmonitored)
AEM12000R	Mortice Magnet - Grade 3 (Monitored)

- 12/24V DC
- Tested to TS010:2016
- Ideal for sliding door and security door applications
- Tested to STS202 on an aluminium doorset
- Satin anodised aluminium finish
- Range of brackets and accessories available

Deadlock Face to Face Electro-Magnetic Locks



Code	Description
AEM10001	Slimline Single Magnet - Grade 2 (Unmonitored)
AEM10002	Slimline Single Magnet - Grade 2 (Monitored)
AEM10003	Slimline Double Magnet - Grade 2 (Unmonitored)
AEM10004	Slimline Double Magnet - Grade 2 (Monitored)
AEM10010	Standard Single Magnet - Grade 3 (Unmonitored)
AEM10020	Standard Single Magnet - Grade 3 (Monitored)
AEM10060	Standard Double Magnet - Grade 3 (Unmonitored)
AEM10040	Standard Double Magnet - Grade 3 (Monitored)
AEM12100	Superior Single Magnet - Grade 4 (Unmonitored)
AEM12200	Superior Single Magnet - Grade 4 (Monitored)
AEM12200/DS	Superior Single Magnet with Read Switch - Grade 4 (Monitored)
SINAEM1	Graphite Sleeve for Single Magnets for FD30 & FD60 Timber Doors
SINAEM2	Graphite Sleeve for Double Magnets for FD30 & FD60 Timber Doors

- Tested to TS010:2016
- 12/24V DC
- Fire rated to EN1634-1 on 30 & 60min timber doors
- Range of brackets and accessories available
- Monitored and unmonitored versions available
- Satin anodised aluminium finish

Video Doorbell with Chime



Code	Description
AML2C	Video Doorbell with Chime

- One Year Standby Battery Life
- Advanced high speed video processor chip
- High definition video
- Micro SD & Cloud storage
- Free app can be put on multiple devices
- Real time monitoring



Wi-Fi Camera with Night Vision



Code	Description
AC10S-10	Wi-Fi Camera with Night Vision

- Network video playback and remote image capture
- 2 way audio communication
- 1mp Camera
- 720P Wide angle view
- App supported on both Apple and Android software
- Supports Micro SD card



External Camera with 2 Way Audio Capability



Code	Description
AB72-2	External Camera with 2 Way Audio Capability

- 1080p Full HD video recording
- IP67 rated
- Vision up to 30m
- Sharp night vision with 18 infrared LED's
- 2.0MP Camera
- Aluminium construction



Auto Tracking Wi-Fi Camera



Code	Description
APT080-20	Auto Tracking Wi-Fi Camera

- 2 Way Audio
- Capture HD Video
- 350° Pan and 110° Tilt
- Motion Detection
- Night Vision function
- Auto Tracking



Easy Code Change Mechanical Digital Locks



Code	Description
Non-Fire Rated, Easy Code change	
SBL315/S	With Knob & Holdback (2047 combinations)
SBL320/S	With Knob & Holdback (8189 combinations)
SBL325/S	Mini with Knob & Holdback (511 combinations)
SBL330/S	With Knob - Easy Code Plus Enhanced Security (2047 combinations)
SBL330/SL	With Lever - Easy Code Plus Enhanced Security (2047 combinations)
SBL700	With large Knob & Passage Mode (1023 combinations)
Fire Rated, Easy Code change	
SBL315.SFR	With Knob & Holdback (2047 combinations)
SBL320.SFR	With Knob & Holdback (8189 combinations)
SBL330.SFR	With Knob - Easy Code Plus Enhanced Security (2047 combinations)
SBL330.SLFR	With Lever - Easy Code Plus Enhanced Security (2047 combinations)
SBL700.SFR	With large Knob & Passage Mode (1023 combinations)

- Fire Rated to EN1634-1 for 30min and 60min on timber fire doors
- Easy code change by using a flat screwdriver twisting pins on the back
- Three sizes are available (130, 147 and 158 fixing centres)
- All supplied with a 60mm tubular latch with anti-thrust

Mechanical Digital Lock with Latch



Code	Description
SBL365/S	Mechanical Digital Lock with Latch
SBL365/SFR	Fire Rated Mechanical Digital Lock with Latch

- Catch mechanism on reverse side to hold-open
- Fire Rated to EN1634-1 for 30min and 60min on timber fire doors
- Easy code change by using a flat screwdriver twisting pins on the back
- Supplied with tubular latch
- Compact and robust zinc die cast body
- Suitable for timber and steel doors (35-65mm thick)

72mm Centre Commercial Euro Profile Lock Cases - Satin Stainless Steel



Code	Description
SEU1091.2	Sash lock
SEU1092.2	Latch
SEU1093.2	Deadlock
SEU1094.2	Night Latch with Anti-Thrust
SEU1095.2	Escape Lock
SEU1096.2	Bathroom Lock with 8mm Follower (78mm Centre)
SEU1099.2	13mm Rebate Kit
SIN1090	Intumescent for FD60 Timber Fire Doors

- Corrosion resistant (tested to 240 hours)
- Double throw deadbolt projects 20.5mm
- Stainless steel follower with spindle grip
- Short travel follower
- Forend available round or square ended
- Tested and certified to EN12209

Security Cylinder & Escutcheon



Code	Description
SSC3535-NI	1 Star 70mm (35/35) Double Keyed Euro Profile Cylinder
SSC4040-NI	1 Star 80mm (40/40) Double Keyed Euro Profile Cylinder
SSC40-NI	1 Star 40mm (30/10) Single Keyed Euro Profile Cylinder
SSC45-NI	1 Star 45mm (35/10) Single Keyed Euro Profile Cylinder
SSEDKC	2 Star Security Escutcheon for Double Keyed Cylinder
SSSEKC	2 Star Security Escutcheon for Single Keyed Cylinder
SSC3535-3NI	3 Star 70mm (35/35) Cylinder & Escutcheon Package
SSC4040-3NI	3 Star 80mm (40/40) Cylinder & Escutcheon Package

- Certified to TS007 & EN1303
- 1 Star cylinder protects from drilling, picking, bumping and plug extraction
- The 2 star rated escutcheon offers anti – snap protection
- The escutcheon is hardened to give extra drilling protection
- The escutcheon has a window for the key which will spin if drilling is attempted
- Cylinders are available in various sizes and suitable for all euro profile lock cases

Traditional Panic Hardware - Silver Finish



Code	Description
SED991-SE	Push Bar Panic Latch
SED992-SE	Push Bar Panic Bolt
SED993-SE	Emergency Push Pad Latch
SED900/SE/LE	Outside Access Device with Lever Handle
SED900/SE/LE/C	Outside Access Device with Lever Handle (with Cylinder)
SED990/SE/KN	Outside Access Device with Knob
SED990/SE/KN/C	Outside Access Device with Knob (with Cylinder)

- Cylinder fixing in Outside Access Device uses normal fixing holes
- All units are supplied handed but are reversible
- Fire-rated and approved on single and non-rebated double doors
- Latch units are supplied with universal keep for single and double rebated doors
- Silver finish as standard has achieved 240 salt spray hours
- Hold back feature available on certain units

Safety Window & Door Restraints



Code	Description
SBC370/WE	Window Frame Guard (White)
SBC223/WE/C	Door Chain with External Release & Rim Cylinder (White)
SBC400/WE	Sliplock - Key Operated Cable Restrictor (White)

- The SBC370/WE has a strong die cast construction, variable high construction and is suitable for uPVC, Aluminium and Timber
- The SBC223/WE/C is a modern alternative to door safety, with it's easy push button internal release and external key release
- SBC400/WE Sliplock™ cable restrictor is securely fixed between two metal units and certified to BS EN13126-5:2011 & BS EN14351-1:2006+A1:2010

Securefast

Service & Support

Securefast plc has a long and established history in the UK offering a wide range of high quality products and systems at affordable prices, all supplied with the very best support.

This support starts before you buy with quotations, stock availability and technical advice then continues after the sale with delivery advice, tech support and if required, support in the field.

The field support consists of product presentation and demonstration to a client's prospects or staff. Exhibition or promotional activity is available, as well as technical support in case an issue arises after installation.



In addition, training is available at our facility in Cannock for up to six engineers. This offers hands on product installation, software programming, system design and fault finding. There is a small charge for this, so please contact your local area manager or our customer services teams.

We also offer a convenient online solution allowing orders to be placed 24 hours a day, so you can choose when is convenient. You can manage your account online, receive F.O.C. deliveries on orders over £150 and if your orders are placed before 4pm, you will receive your goods the next working day providing they are in stock.

Our website has a fantastic library of sales and technical literature, instructional videos and all manner of additional information to help you understand and offer our equipment successfully on to your clients.

Head Office & Distribution Centre

6, The Cedars Business Centre, Cannock, Staffordshire, WS11 1QJ
Tel: +44 (0) 1543 501600 Fax: +44 (0) 1543 501601

Sales Office

First Floor, 14-16 Houghton Street, Southport, Merseyside, PR9 0PA
Tel: +44 (0) 1704 502801 Fax: +44 (0) 1704 502810
Email: sales@securefast.co.uk

Securefast Security Products (Ireland)

Unit A1, Ballymount Corporate Park, Ballymount Avenue, Ballymount, Dublin 12, Ireland
Tel: +353 (0) 1456 8257

Technical Helplines

Mechanical Products: Tel +44 (0) 1543 501611
Electronic and Fire Products: Tel: +44 (0) 1704 502815